### ORIGINAL

### SKADDEN, ARPS, SLATE, MEAGHER & FLOM LLP

1440 NEW YORK AVENUE, N.W. WASHINGTON, D.C. 20005-2111

TEL: (202) 371-7000

FAX: (202) 393-5760

EX PARTE OR LATE FILED

http://www.skadden.com

LOS ANGELES NEW YORK PALO ALTO SAN FRANCISCO

FIRM/AFFILIATE OFFICES

BOSTON CHICAGO HOUSTON

WILMINGTON

BEIJING BRUSSELS FRANKFURT HONG KONG LONDON MOSCOW PARIS SINGAPORE SYDNEY TOKYO

TORONTO

DIRECT DIAL 202-371-7604

March 15, 2000

### RECEIVED

MAR 1 5 2000

TESTAL COMMINICATIONS (STORES OFFICE OF THE SETSETISH

### VIA HAND DELIVERY

Magalie Roman Salas, Secretary Federal Communications Commission The Portals, 12th Street Lobby 445 12th St., SW, Counter TW-A325 Washington, DC 20554

> Re: Ex Parte Presentation

> > IB Docket No. 99-81/ ET Docket No. 95-18

RM-9328

Dear Ms. Salas:

Pursuant to Section 1.1206 of the Commission's rules, I hereby notify you that David Otten, President of Celsat America, Inc. ("Celsat") and Antoinette Cook Bush and I of this firm met yesterday with Commissioner Ness and her legal advisor, Mark Schneider. At the meeting, Celsat expressed its support for the Commission's hybrid approach to licensing 2 GHz MSS systems as described in the Commission's February 7, 2000 Public Notice (DA 00-222). Celsat also assured the Commission that Celsat's 2 GHz MSS system will be fully 3G compatible using 3.88 MHz channels. In this regard, Celsat distributed the enclosed materials at the meeting.

Two copies of this letter are being submitted for each docket noted above. Please direct any questions concerning this matter to the undersigned.

Very truly yours,

Brian Weimer

No. of Copies rec'd

Enclosures

Commissioner Susan Ness cc:

Mark Schneider

## **CELSAT**

## RESPONSE TO GLOBALSTAR'S EX PARTE FILINGS

March, 2000

David D. Otten
Chairman and CEO
Celsat America, Inc.

## CONGRATULATIONS TO THE FCC ON A JOB WELL DONE

Eight of Nine Applicants Agree With the FCC's Solution to a Very Complex Problem

The Ninth Applicant, Globalstar:

- Is the Only Applicant to Reject the FCC's Spectrum Assignment
   Methodology
- Insists All Other Applicants Discard Their Proposed Air Interface (Which is Crucial to Their Business Plans) and Adopt Globalstar's Undefined Air Interface Instead
- Uniquely Fails to Understand How to Design a 3G compatible
   System Within a 3.88 MHz band

Globalstar's Erroneous and Self Serving Comments Must Not Be Allowed to Impede the Progress Made by the FCC

## Eight of Nine Applicants Accept the FCC Spectrum Assignment Methodology

**APPLICANT** 

Boeing

Celsat

Constellation

ICO

Inmarsat

Iridium

**MCHI** 

TMI

Globalstar

February 17, 2000 Comments

Accepts FCC spectrum assignment

methodology. Requests some refinements.

Only reject

# GLOBALSTAR'S CLAIM THAT 3.88 MHZ BAND ALLOCATIONS PRECLUDE COMPATIBLE OPERATION WITH 3G IS FALSE

3G TECHNOLOGY CAN BE ADAPTED TO SATELLITE SYSTEMS IN A 3.88 MHZ BAND

 ERICSSON, A LEADER IN 3G TECHNOLOGY, ALSO ATTESTS TO THIS (SEE ATTACHED LETTER)

CELSAT'S SYSTEM WHEN OPERATED IN A 3.88 MHZ BAND WILL BE FULLY COMPATIBLE WITH 3G

EIGHT OF THE NINE APPLICANTS AGREE WITH THE FCC'S BAND SEGMENTATION OF 3.88 MHZ

- ONLY GLOBALSTAR UNIQUELY FAILS TO UNDERSTAND HOW TO DESIGN A COMPATIBLE 3G SYSTEM IN 3.88 MHZ
- ALL CAN BE 3G COMPATIBLE IN A 3.88 MHZ BAND WITH PROPER SYSTEM DESIGN. IT CAN BE PRESUMED THAT EIGHT OF US KNOW THAT

GLOBALSTAR DEMANDS THAT ALL EIGHT OTHER APPLICANTS ADOPT ITS UNKNOWN (AND PERHAPS PROPRIETARY) AIR INTERFACE

- IS THIS SIMPLY A STALLING TECHNIQUE FROM A COMPANY WITH HIGH PRICES, NON COMPETITIVE PHONES, AND A POOR ACCEPTANCE IN THE MARKETPLACE?



March 10, 2000

Mr. David D. Otten President and CEO Celsat America, Inc. 532 South Gertruda Redondo Beach, CA 90277

Dear Mr. Otten:

This is to confirm that if Celsat is based on the GMSS (S-GSM) air interface standard, developed jointly by Ericsson and Lockheed Martin, Celsat will be 100% 3G compatible. The GMSS air interface is an open standard and is, by design, a very close derivative of terrestrial GSM. As such, GMSS is capable of specifying and enabling for the satellite mode all high-speed packetized data services currently under development for GSM. The evolutionary GSM technologies of GPRS and EDGE, utilizing multi-slot operation, transfer naturally to GMSS and will thus enable Celsat to offer packetized data services up to 115 kbps via S-GPRS, and up to 384 kbps via S-EDGE.

It is of importance to note that GMSS (just like terrestrial GSM) is based on 200 KHz carrier increments. Therefore, a system employing GMSS can offer services over CONUS, based on an overall spectrum allocation not exceeding 3.88 MHz, by distributing the allocated spectrum over the plurality of beams and then re-using the available spectrum many times over the span of its footprint. Other systems which plan to deploy services based on S-WCDMA techniques, face the difficulty that a system-wide allocated spectrum of 3.88 MHz (in each direction) may not even be enough to support a single WCDMA carrier!

Thuly You

Peter Karabinis Director – Research

Satellite Phones & Terminals

PDK:pvm